



illumination design
SINCE 1972



TECHNICAL SHEETS






TECHNICAL SHEETS






MATERIALI / MATERIALS	
Struttura / Frame	Ferro-forgiato a mano / Handmade forged iron
Vetro / Glass	Soffiato e lavorato a mano / Blow and hand worked

DATI TECNICI / TECHNICAL DATA		
INFO	EUROPE	USA
Prodotto / Product	Lampadario / Chandelier	Lampadario / Chandelier
Installazione / Installation	Soffitto / Ceiling	Soffitto / Ceiling
Diametro / Diameter	110x57 cm.	43,30"x22,44"
Altezza / Height	15 cm.	5,90"
Cavi Standard / Standard wires	130 cm.	51,18"
Rosone / Canopy	20x12 cm.	7,87"x4,72"

SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS		
INFO	EUROPE	USA
Alimentazione / Power Supply	220-240V – 50/60Hz	100-120V – 50/60Hz
Specifiche lampade/Bulbs specifications	36xG9 4,5W led	36xG9 4,5W led
Wattaggio massimo / Max wattage	162W	162W
Tensione utilizzo / Usage voltage	220-240V – 50/60Hz	100-120V – 50/60Hz
Dimmerabilità / Dimmability	With dimmable bulbs	With dimmable bulbs

OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS	Opzioni vetri / Glass options
 <p>Argento satinato Mat silver</p>	 <p>Trasparente / Transparent</p>  <p>Satinato / Frosted</p>

PESO E VOLUME / WEIGHT AND VOLUME		
 <p>Peso Netto / Net weight Kg.36,00</p>	 <p>Volume M3 0,250</p>	 <p>Peso Lordo / Gross weight Kg.40,00</p>

--- MADE IN ITALY ---